Monday, 2/27/2006 4:17:58 PM User: Kim Johnston **Process Sheet Drawing Name** : STRUT Customer : CU-DAR001 Dart Helicopters Services Job Number : 25971 **Estimate Number** : 10273 : D2565101 : NIA P.O. Number **Part Number** S.O. No. : NIA : 2/27/2006 D2565 REV E This Issue **Drawing Number** : N/A Prsht Rev. Project Number : NIA Type : SMALL /MED FAB **Drawing Revision** : E First Issue : NA : 24273 Material **Previous Run** : 3/20/2006 **Due Date** Each Qty: Written By Checked & Approved By Comment : Est: Added dwg Rev.C1 NG **Additional Product** Job Number: Description: Seq. #: M304TR0750W049 304 RD Tube .750 x .049W Comment: Qty.: Total: 35.9100 f(s) 1.7955 f(s)/Unit 304 RD TUBE .750 X.49W Material :304/316/318-2B Seamless Tubing, 3/4" O.D. x 0.049" wall per Dwg (M304TR0750W049) Batch M (30138 BRAKE NC NC BRAKE 2.0 Comment: NC BRAKE Punch as per Dwg D2565 using DT 8313 3.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Drill hole open to .3125 Ø as per Dwg D2565 (one end only) Deburr and polish 316 4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE AS THEY COME OFF MACHINE Comment: INSPE 5.0 SECOND CHECK 06.03.10 Comment: SECOND CHECK

Dart Ae	rospace L	_ta							
W/O:			WORK ORDE	R CHANGES	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
DATE	STEP	PRO	OCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			0						
Part No		PAR #:	Fault Category:	NC	R: Yes	No DQ	A:	_ Date:Ŏ∢	0/03/39
					QA:	N/C Close	d:	_ Date: _	
NCR: WORK ORDER NON-CONFORMANCE (NCR)				R)			,		

NCR:			WORK ORD	ER NON-CONFORMA	ANCE (NCR)			
		Description of NC		Corrective Action Secti	on B	Verification Approval	Approval	
DATE	STEP	Section A			Section C	Approval Chief Eng	Approval QC Inspecto	
					-			
		100		· · · · · · · · · · · · · · · · · · ·			٠.	
		14						
								,

NOTE: Date & initial all entries

Monday, 2/27/2006 4:17:58 PM Date: User: Kim Johnston **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 25971 Part Number: D2565101 Job Number: Seq. #: Description: **Machine Or Operation:** POWDER COATING POWDER COATING 6.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 7.0 Comment: INSPECT POWDER COAT PACKAGING 1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock C LOGIO3/29

DOCUMENT CONTROL Location: ST 185 9.0 DC (B) Comment: DOCUMENT CONTROL 06/03/30 Inspection Level 21 U Xe. 03.29 Job Completion

Form: rprocess

Page 2

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHAI	WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
		•								
				1						

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
			QA: N/C C	losed:	Date:

NCR:			WORK ORDI	ER NON-CONFORMANO	CE (NCR)					
		Description of NC		Corrective Action Section B		Verification A	Manification	Annessal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
		*	140							
							,			
						÷				
* :								•		
						Ÿ				

NOTE: Date & initial all entries






DESIG	N_H	DRAWN BY	DART AEROSPACE	
CHEC	KED H	APPROVED	DRAWING NO. D2565	REV. E SHEET 1 OF 1
DATE		1	TITLE	SCALE
04.0	05.05		STRUT	1:3
Α		96.05.03	NEW ISSUE	
В		97.03.15	CORRECT D2565-111 DIM. A	



04.05.05		STRUT	1:3
А	96.05.03	NEW ISSUE	
В	97.03.15	CORRECT D2565-111 DIM. A	
С	98.10.05	UPDATED MATERIAL NOTE (TSR A603)	
D	02.06.05	ADD —3XX PARTS; ADD FINISH	
E	04.05.05	ADD D2565-401-411; RMV ANGLE D	



	PART #	A	B	DIA-C-		
Г	D2565-101		_19.72	_0.316		
L	D2565-103	18.21	17.41	0.316		
	D2565-105	20.19	19.39	0.316		
	D2565-107	13.43	12.63	_		
	D2565-109	12.31	11.51			
	D2565-111	13.65	12.85	-		
	D2565-201	22.79		0.316		
	D2565-203	20.75	19.95	0.316		
	D2565-205	21.22	20.42	0.316		
	D2565-207	16.07	15.27			
	D2565-209	15.16	14.36			
	D2565-211	14.14	13.34			
	D2565-301	27.03	26.23	0.316		
	D2565-303	25.34	24.54	0.316		
	D2565-305	23.73	22.93	0.316		
	D2565-307	20.86	20.06			
	D2565-309	20.17	19.37	<del>-</del>		
I	D2565-311	16.30	15.50	. —		
			- 1			
	D2565-401	18.29	17.49	0.316		
	D2565-403	15.64	14.84	0.316		
	D2565-405	19.45	18.65	0.316		
	D2565-407	10.79	9,99	+		
	D2565-409	9.34	8.54	_		
	D2565-411	13.81	13:01			

SHOP COPY

RETURN TO

**GENERAL NOTES** 

**ENGINEERING** 1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALLUNCONTROLLED COPY (REF DART SPEC. M304TR0.750W0.049) SUBJECT TO AMENDMENT

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 WORK ORDE
3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES

Copyright 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.